

# Nutri-Facts

Nutri-Facts #2

Agronomic information on nutrients for crops

## It's Essential — Phosphorus Is Required by Plants

**THERE IS NO WAY AROUND IT:** phosphorus (P) is essential for plant growth. The element P is present in every living cell, both plant and animal. No other nutrient can be substituted for it.

Phosphorus is one of the 17 essential nutrients that plants need for growth and reproduction. Phosphorus is considered one of the three major nutrients along with nitrogen (N) and potassium (K). They are termed major nutrients because of the relatively large amounts utilized by plants (Table 1) and the frequency with which their deficiencies limit plant growth.

Table 1. Phosphorus uptake by crops.

| Crop                 | Yield level   | P <sub>2</sub> O <sub>5</sub> taken up in total crop, lb |
|----------------------|---------------|--|
| Alfalfa              | 8 tons        | 120  |
| Coastal bermudagrass | 8 tons        | 96   |
| Corn                 | 160 bu        | 90   |
| Cotton               | 1,500 lb lint | 63   |
| Grain sorghum        | 8,000 lb      | 84   |
| Oranges              | 540 cwt       | 55   |
| Peanuts              | 4,000 lb      | 39   |
| Rice                 | 7,000 lb      | 60   |
| Soybeans             | 60 bu         | 58   |
| Tomatoes             | 40 tons       | 87   |
| Wheat                | 60 bu         | 41   |

Note: To convert P<sub>2</sub>O<sub>5</sub> to P, multiply by 0.434.

Phosphorus must be physically added to the soil to increase the supply available to plants. Phosphorus cannot be fixed from the atmosphere.

### Phosphorus in Plants

Phosphorus is a vital component in the process of plants converting the sun's energy into food, fiber and oil. Phosphorus plays a key role in photosynthesis, the metabolism of sugars, energy storage and transfer, cell division, cell enlargement, and transfer of genetic information.

Phosphorus promotes early root formation and growth, promotes early shoot growth, hastens ground cover for erosion protection, affects the quality of fruit, vegetable and grain crops, and is vital to seed formation. Adequate P increases plant water use efficiency, improves use efficiency of other nutrients such as N, contributes to disease resistance in some plants, helps plants cope with cold temperatures and moisture stress, hastens plant maturity, and protects the environment through better plant growth.

### Deficiency Symptoms

The first sign of a P shortage is an over all stunted plant. Leaf shapes may be distorted. With severe deficiency, dead areas may develop on leaves, fruit and stems. Older leaves are affected before younger ones because of the movement of P in the plant (mobility). Some plants, such as corn, may display a purple or reddish color on the lower leaves and stems. This condition is associated with accumulation of sugars in P-deficient plants, especially during times of low temperature. These effects combine to lower crop yields, crop quality, crop value and crop profitability.

### Where Do Plants Get Phosphorus

Plants take up P from the soil, specifically from water in the soil. Only very small amounts of P are present in the soil water, however, and the supply must be continually replenished by P released from minerals and organic matter in the soil. Soil pH or acidity greatly influences the availability of P to plants and determines the forms that plants can utilize (Figure 1). All P is absorbed by plant roots as inorganic orthophosphate ions. Phosphorus in

soil organic matter is not available until soil microbes break the organic matter down into simple forms releasing inorganic phosphate ions.




Figure 1. Effects of soil pH on P availability.

Factors that affect P availability to plants include the type and amount of clay minerals in soils, P levels in the soil, soil aeration, soil compaction, soil moisture content, temperature, soil pH, the availability of other essential plant nutrients, and the crop being produced.

### Determining Plant Needs for Phosphorus

Soil and plant analysis can predict the need to supplement the soil's ability to provide P for plants.

Research has established the relationship between P levels in the soil and critical levels for optimum plant growth. Similarly, research has identified critical levels of P concentrations in plants which change with the stage of plant maturity.

If more P is being removed from

the soil than is being replaced, soil test levels and availability will decline over time. On the other hand, if more P is supplied than is removed, soil test levels and availability will increase.

### Meeting Plant Needs for Phosphorus

Phosphorus must be added to the soil as commercial fertilizers, animal wastes, sewage sludge, crop residues or other by-products. Phosphorus recycling of wastes of all types has been practiced for centuries, but demands for supplemental sources of P outstrip these supplies.

The P fertilizer industry was developed to provide for that need and to provide readily available forms of P which can be easily transported and applied. Several procedures are used to convert mined phosphate rock into usable fertilizers. The final product may be a dry granular material or a liquid.

Some soils react readily with P fertilizers, reducing their availability to plants (fixation). Those conditions can be offset by applying P fairly close to the time of crop utilization or applying fertilizer in concentrated bands which diminish these reactions. Environmental stress

conditions which depress P availability to plants can be countered by placement of P close to the seed of crop plants (starter fertilization)... even when soil availability is high.

### Crop Response to Phosphorus

Phosphorus fertilization increases yields and increases farmer profits.

Data in Table 2 illustrate the importance of P for increasing crop yields, improving N use efficiency, lowering production costs per unit, and increasing crop profitability.

Table 2. Adequate P increases wheat yields, improves N use efficiency, lowers production costs per bushel, and improves crop profits.

| N        | P <sub>2</sub> O <sub>5</sub> | Yield, | N use       | Pro-    | Net      |
|----------|-------------------------------|--------|-------------|---------|----------|
| --lb/A-- |                               | bu/A   | efficiency, | duction | profits, |
|          |                               |        | bu/lb N     | \$/bu   | \$/A     |
| 75       | 0                             | 35     | 0.47        | 3.91    | -14.30   |
| 75       | 20                            | 51     | 0.68        | 2.84    | 33.66    |
| 75       | 30                            | 56     | 0.75        | 2.64    | 48.16    |
| 75       | 40                            | 61     | 0.81        | 2.49    | 61.61    |
| 75       | 50                            | 64     | 0.85        | 2.42    | 69.12    |

Soil test P, low; P<sub>2</sub>O<sub>5</sub>, \$0.22/lb;  
Wheat, \$3.50/bu

*There's no doubt about it — phosphorus is essential.* ■

For further information contact:



**IPNI**  
INTERNATIONAL  
PLANT NUTRITION  
INSTITUTE

Suite 550  
3500 Parkway Lane  
Norcross, Georgia, U.S.A.  
30092-2806  
Phone: (770) 447-0335  
www.ipni.net



**FAR**  
INTO THE FUTURE  
FOUNDATION FOR AGRONOMIC RESEARCH

Suite 300  
107 S. State Street  
Monticello, Illinois, U.S.A.  
61856-1968  
Phone: (217) 762-2074  
www.farmresearch.com