

SAFETY DATA SHEET

Microlink Iron		
Liquid Fertilizer Solution		
C.O.G. Marketers, LTD.		
3055 W. M-	21	
St. Johns, M	I 48879	
800 678-9029		Revision Date: February 25, 2020
ChemTel Inc	. 800-25	5-3924
	Signal V	Word: Warning
	<u>Pictogr</u>	ram: GHS07
Inhalation:	H335	If misty condition prevails, may irritate.
		Large doses of ammonium salts may give diarrhea or diuresis.
Ingestion:	H303	Low oral toxicity.
<u>Skin</u> :	H317	Low skin irritation potential. (pH 7.5 to 7.9)
<u>Eyes</u> :	H320	Low eye irritation potential. (pH 7.5 to 7.9)
P261		Avoid breathing mists or vapors.
P262		Do not get in eyes, on skin or on clothing.
P264		Wash hands thoroughly after handling.
P270		Do not eat, drink or smoke when using this product.
P280		Wear protective gloves, protective clothing and eye protection
		If breathing is difficult, remove victim to fresh air and keep at
P341		rest in a position comfortable for breathing.
		If swallowed: call a POISON CENTER or doctor/physician if you
P301+P312		feel unwell.
		IF IN EYES: Rinse cautiously with water for several minutes.
		Remove contact lenses, if present and easy to do. Continue
P305+P351+	-P338	rinsing.
	Liquid Fertili C.O.G. Mark 3055 W. M- St. Johns, M 800 678-902 ChemTel Inc Ingestion: Skin: Eyes: P261 P262 P264 P270 P280 P341 P301+P312	Liquid Fertilizer Solu C.O.G. Marketers, LT 3055 W. M-21 St. Johns, MI 48879 800 678-9029 ChemTel Inc. 800-25 <u>Signal Pictoge</u> <u>Inhalation</u> : H335 <u>Ingestion</u> : H303 <u>Skin</u> : H317 <u>Eyes</u> : H320 P261 P262 P264 P270 P280 P341

3. COMPOSITION/INFORMATION ON INGREDIENTS		
Element	% Guarantee	
Iron (Fe)	4%	

4. FIRST AID MEASURES	
Eye Contact:	Flush eyes immediately and thoroughly with water for at least 15 minutes. If irritation persists, get medical attention. Flush skin immediately and thoroughly with water. If irritation persists, get medical
Skin Contact:	attention.
Inhalation:	Generally not considered an inhalation hazard.
Ingestion:	If conscious, immediately give large quantities of water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Unusual fire and explosion hazards:	When heated, it may give off ammonia fumes (this material is a fire retardant).
Fire extinguishing agents recommended:	All standard agents are acceptable.
Special fire-fighting precautions:	Due to possible evolution of ammonia, wear self-contained breathing apparatus approved by NIOSH. Use water spray to keep containers cool.
NFPA HAZARD RATING:	0 Least 1 Slight 1 Health 2 Moderate 0 Flammability

3 High 4 Severe <mark>0 Reactivity</mark>

ACCIDENTAL RELEASE MEA			
Personal Precautions:	Use personal protective equipment.		
	Soak up with inert absorbent material. A vacuum truck may also be used. Keep in a		
Cleanup:	suitable closed container for disposal.		
HANDLING AND STORAGE			
	Avoid breathing mist, if any should be formed. Minimize contact of liquid with eye,		
Normal Handling:	skin, and clothing. Use good personal hygiene and housekeeping.		
	Avoid using containers, pipes and fittings made of aluminum, mild steel, zinc-clad or		
Champer			
Storage:	copper bearing alloys.		
-			
-			
-	PERSONAL PROTECTION		
EXPOSURE CONTROLS AND			
Storage: EXPOSURE CONTROLS AND Ventilation:	PERSONAL PROTECTION		
EXPOSURE CONTROLS AND	PERSONAL PROTECTION Unless misted by heat, agitation, or spraying, natural ventilation should be adequate		
EXPOSURE CONTROLS AND	D PERSONAL PROTECTION Unless misted by heat, agitation, or spraying, natural ventilation should be adequate Contain spills and maximize recovery. Cleanup promptly into a container. (Caution		
EXPOSURE CONTROLS AND Ventilation: Spill or Leak:	Depresent of the property of t		
EXPOSURE CONTROLS AND Ventilation: Spill or Leak: Respiratory Protection:	D PERSONAL PROTECTION Unless misted by heat, agitation, or spraying, natural ventilation should be adequate Contain spills and maximize recovery. Cleanup promptly into a container. (Caution should be exercised in the area of spilled material since it can cause a slippery condition.)		
EXPOSURE CONTROLS AND	 PERSONAL PROTECTION Unless misted by heat, agitation, or spraying, natural ventilation should be adequate Contain spills and maximize recovery. Cleanup promptly into a container. (Caution should be exercised in the area of spilled material since it can cause a slippery condition.) Respirators are not required under normal ventilated conditions. 		

). PHYSICAL DATA			
Flashpoint:	NA	Lower Flammability Limit:	NA
Autoignition Temperature:	NA	Upper Flammability Limit:	NA
Boiling Point:	NA	Specific Gravity:	1.181
Melting Point:	NA	Weight:	9.86 lbs/gal
Freezing Point:	20°F	-	
Vapor Pressure:	NA	% Volatile:	NA
Vapor Density (Air=1)	NA	Evaporation Rate (Water=1)	NA
% Solubility in Water:	100	Viscosity:	NA
Pour Point:	NA	Octanol/Water Partition Coefficient:	NA
Molecular Formula:	Mixture	pH:	7.5 to 7.9
Salt-Out Point:	NA	Molecular Weight:	Mixture
Odor/Appearance:	Dark Red Liquid that	is Odorless.	
0. STABILITY AND REACTIVITY			
Stability:	Stable.		
Conditions to avoid:	Avoid extreme temp	erature changes.	
	Always perform a jar	test to determine compatibility.	
Incompatibilities:	ΔΤΙΟΝ		
Routes of Exposure:	Eye Contact. Ingestio	n Inhalation	
Toxicity Data:	Not determined.		
Chronic Toxic Effects:	Carcinogenic Effects:	Not determined.	
chronic roxic Enects.	Mutagenic Effects:	Not determined.	
	Teratogenic Effects:	Not determined.	
	Developmental Effec		
		fect from chronic exposure to this produc	t. Repeated or
		is not known to aggravate existing medica	•
Acute Toxic Effects:	Not determined.		
	not determined.		
2. ECOLOGICAL INFORMATION	l		
Ecotoxicity:	Not de	termined.	
Other Ecotoxicological Advice	e: No eco	logical data available.	
3. DISPOSAL CONSIDERATION	S		
Waste Disposal of Material:	Dispose	e of in accordance to national, state, and le	ocal regulations.
4. TRANSPORT INFORMATION			
DOT:	Not regulated.		
IATA:	Not regulated.		
IMDG:	Not regulated.		
	0		

5. REGULATORY INFORMA	TION			
Canada:	WMIS Hazard Class:	Not determined.		
	<u>DSL</u> :	All components either exempt or listed on DSL.		
United States:	<u>SARA 313</u> :	Not applicable.		
	<u>SARA 311/312</u> :	Not applicable.		
	<u>TSCA</u> :	All components either exempt or listed on TSCA inventory.		
	<u>OSHA</u> :	Classified as not hazardous under OSHA regulations.		
Mexico – Grade:		No information available.		
	This pro	oduct does not contain any component(s) listed under the CWC		
International Regulations	: CWC: Schedu	le of Chemicals.		
6. OTHER INFORMATION				
Legend:	DOT: Department of	DOT: Department of Transportation (US)		
	IATA: International A	TA: International Air Transport Association		
	IMDG: International	Maritime Dangerous Goods Code		
	WHMIS: Workplace H	Hazardous Material Information System		
	DSL: Domestic Substa	ances List		
	SARA: Superfund Amendments and Reauthorization Act TSCA: Toxic Substances Control Act			
	OSHA: Occupational	Safety and Health Administration		
	AICS: Inventory of Chemical Substances			
	CWC: Chemical Wea	pons Convention		
Disclaimer:	information, and belief a guide for safe handlir as a warranty or quality	led on this Safety Data Sheet is correct to the best of our knowledge, at the date of its publication. The given information is to be used only ng, use, storage, transportation, and disposal and is not to be considere y specification. The information relates only to the specified material of be valid for such material used in combination with any other materia		